



FORM PTO-1449 (Modified)		Attorney Docket No.: 015280-415100US		Application No.: 09/810,310	
LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		Applicant: Samir Khleif <i>et al.</i>			
		Filing Date: March 14, 2001		Group: 1644	
Reference Designation		U.S. PATENT DOCUMENTS			
Examiner Initial		Document No.	Date	Name	Class
MJ	A.A.	4,599,230	July 8, 1986	Milich <i>et al.</i>	
	AB.	4,599,231	July 8, 1986	Milich <i>et al.</i>	<i>RECEIVED</i>
	AC.	5,861,310	Jan. 19, 1999	Freeman <i>et al.</i>	
	AD.	5,866,553	Feb. 2, 1999	Donnelly <i>et al.</i>	FEB 11 2003
MV	AE.	5,942,607	Aug. 24, 1999	Freeman <i>et al.</i>	TECH CENTER 1600/2900
FOREIGN PATENT DOCUMENTS					
		Document No.	Date	Country	Class
	AF.	90/11092	Oct. 4, 1990	WO	
OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)					
	AG.	Acsadi <i>et al.</i> , "Human dystrophin expression in mdx mice after intramuscular injection of DNA constructs," <i>Nature</i> 352:815-818 (1991)			
	AH.	Aichele <i>et al.</i> , "Antiviral cytotoxic T cell response induced by in vivo priming with a free synthetic peptide," <i>J. Exp. Med.</i> 171:1815-1820 (1990)			
	AI.	Armitage <i>et al.</i> , "Molecular and biological characterization of a murine ligand for CD40," <i>Nature</i> 357:80-82 (1992)			
	AJ.	Azuma <i>et al.</i> , "B70 antigen is a second ligand for CTLA-4 and CD28," <i>Nature</i> 366:76-79 (1993)			
	AK.	Baskar <i>et al.</i> , "Constitutive expression of B7 restores immunogenicity of tumor cells expressing truncated major histocompatibility complex class II molecules," <i>Proc. Natl. Acad. Sci. USA</i> 90:5687-5690 (1993)			
	AL.	Bleijns <i>et al.</i> , "Co-stimulation of T cells results in distinct IL-10 and TNF- $\alpha$ cytokine profiles dependent on binding to ICAM-1, ICAM-2 or ICAM-3," <i>Eur. J. Immunol.</i> 29:2248-2258 (1999)			
	AM.	Boon, T., "Toward a genetic analysis of tumor rejection antigens," <i>Adv. Cancer Res.</i> 58:177-210 (1992)			
	AN.	Bretscher and Cohn, "A theory of self-nonself discrimination," <i>Science</i> 169:1042-1049 (1970)			
	AO.	Brodsky <i>et al.</i> , "Antigen processing and presentation," <i>Tissue Antigens</i> 47:464-471 (1996)			
	AP.	Brunet <i>et al.</i> , "A new member of the immunoglobulin superfamily -- CTLA-4," <i>Nature</i> 328:267-270 (1987)			
	AQ.	Carpenito <i>et al.</i> , "ICAM-2 provides a costimulatory signal for T cell stimulation by allogeneic class II MHC," <i>Scand. J. Immunol.</i> 45:248-254 (1997)			
	AR.	Chang <i>et al.</i> , "Heterogeneity in direct cytotoxic function of L3T4 T cells - TH1 clones express higher cytotoxic activity to antigen-presenting cells than TH2 clones," <i>J. Immunol.</i> 145:409-416 (1990)			
	AS.	Chen <i>et al.</i> , "Costimulation of antitumor immunity by the B7 counterreceptor for the T lymphocyte molecules CD28 and CTLA-4," <i>Cell</i> 71:1093-1102 (1992)			
	AT.	Dong <i>et al.</i> , "B7-H1, a third member of the B7 family, co-stimulates T-cell proliferation and interleukin-10 secretion," <i>Nat. Med.</i> 5:1365-1369 (1999)			

M. D. 1/20/04

FEB 03 2003

O I P E  
S S

Attorney Docket No.: 015280-415100US

Application No.: 09/810,310

LIST OF PATENTS AND PUBLICATIONS FOR  
APPLICANT'S INFORMATION  
STATEMENT (Use several sheets if necessary)

Applicant: Samir Khleif et al.

Filing Date: March 14, 2001

Group: 1644

AU.	Dustin et al., "Correlation of CD2 binding and functional properties of multimeric and monomeric lymphocyte function-associated antigen 3," <i>J. Exp. Med.</i> 169:503-517 (1989)
AV.	Eisenlohr et al., "A transient transfection system for identifying biosynthesized proteins processed and presented to class I MHC restricted T lymphocytes," <i>J. Immunol. Meth.</i> 154:131-138 (1992)
AW.	Elliott et al., "Perspectives on the role of MHC antigens in normal and malignant cell development," <i>Adv. Cancer Res.</i> 53:181-245 (1989)
AX.	Fearon et al., "Interleukin-2 production by tumor cells bypasses T helper function in the generation of an antitumor response," <i>Cell</i> 60:397-403 (1990)
AY.	Freeman et al., "Structure, expression, and T cell costimulatory activity of the murine homologue of the human B lymphocyte activation antigen B7," <i>J. Exp. Med.</i> 174:625-631 (1991)
AZ.	Fynan et al., "DNA vaccines: protective immunizations by parenteral, mucosal, and gene-gun inoculations," <i>Proc. Natl. Acad. Sci. USA</i> 90:11478-11482 (1993)
BA.	Gansbacher et al., "Interleukin 2 gene transfer into tumor cells abrogates tumorigenicity and induces protective immunity," <i>J. Exp. Med.</i> 172:1217-1224 (1990)
BB.	Germain, R., "The ins and outs of antigen processing and presentation," <i>Nature</i> 322:687-691 (1986)
BC.	Gimmi et al., "B-cell surface antigen B7 provides a costimulatory signal that induces T cells to proliferate and secrete interleukin 2," <i>Proc. Natl. Acad. Sci. USA</i> 88:6575-6579 (1991)
BD.	Gimmi et al., "Human T-cell clonal anergy is induced by antigen presentation in the absence of B7 costimulation," <i>Proc. Natl. Acad. Sci. USA</i> 90:6586-6590 (1993)
BE.	Golumbek et al., "Treatment of established renal cancer by tumor cells engineered to secrete interleukin-4," <i>Science</i> 254:713-716 (1991)
BF.	Greenberg, P. D., "Adoptive T cell therapy of tumors: mechanisms operative in the recognition and elimination of tumor cells," <i>Adv. Immunol.</i> 49:281-355 (1991)
BG.	Harding et al., "CD28-mediated signalling co-stimulates murine T cells and prevents induction of anergy in T-cell clones," <i>Nature</i> 356:607-609 (1992)
BH.	Hart et al., "Priming of anti-human immunodeficiency virus (HIV) CD8 <sup>+</sup> cytotoxic T cells <i>in vivo</i> by carrier-free HIV synthetic peptides," <i>Proc. Natl. Acad. Sci. USA</i> 88:9448-9452 (1991)
BI.	Harty et al., "CD8 <sup>+</sup> T cells specific for a single nonamer epitope of <i>Listeria monocytogenes</i> are protective <i>in vivo</i> ," <i>J. Exp. Med.</i> 175:1531-1538 (1992)
BJ.	Hellström and Hellström, in <i>The Biologic Therapy of Cancer</i> , pp. 35-52, DeVita et al., eds., Philadelphia, J. B. Lippincott Co. (1991)
BK.	Hunt et al., "Peptides presented to the immune system by the murine class II major histocompatibility complex molecule 1-A <sup>d</sup> ," <i>Science</i> 256:1817-1820 (1992)
BL.	Janeway, C.A., Jr., "Approaching the asymptote? Evolution and revolution in immunology," <i>Cold Spring Harbor Symp. Quant. Biol.</i> 54:1-13 (1989)
BM.	Jenkins et al., "Allogeneic non-T spleen cells restore the responsiveness of normal T cell clones stimulated with antigen and chemically modified antigen-presenting cells," <i>J. Immunol.</i> 140:3324-3330 (1988)
BN.	June et al., "Role of the CD28 receptor in T-cell activation," <i>Immunol. Today</i> 11:211-216 (1990)
BO.	Kast et al., "Protection against lethal Sendai virus infection by <i>in vivo</i> priming of virus-specific cytotoxic T lymphocytes with a free synthetic peptide," <i>Proc. Natl. Acad. Sci. USA</i> 88:2283-2287 (1991)
BP.	Kotovuori et al., "ICAM-2 and a peptide from its binding domain are efficient activators of leukocyte adhesion and integrin affinity," <i>J. Immunol.</i> 162:6613-6620 (1999)
BQ.	Koulova et al., "The CD28 ligand B7/BB1 provides costimulatory signal for alloactivation of CD4 <sup>+</sup> T cells," <i>J. Exp. Med.</i> 173:759-762 (1991)
BR.	Kripke, "Immunologic mechanisms in UV radiation carcinogenesis," <i>Adv. Cancer Res.</i> 34:69-75 (1981)
BS.	Lafferty et al., "Immunobiology of tissue transplantation: a return to the passenger leukocyte concept," <i>Ann. Rev. Immunol.</i> 1:143-173 (1983)

John. Dini  
1/20/04

FEB 03 2003

Attorney Docket No.: 015280-415100US

Application No.: 09/810,310

**LIST OF PATENTS AND PUBLICATIONS FOR  
APPLICANT'S INFORMATION STATEMENT**

(Use several sheets if necessary)

Applicant: Samir Khleif *et al.*

Filing Date: March 14, 2001

Group: 1644

BT.	LaSalle <i>et al.</i> , "Presentation of autoantigen by human T cells," <i>J. Immunol.</i> 147:774-780 (1991)
BU.	Lenschow <i>et al.</i> , "Long-term survival of xenogeneic pancreatic islet grafts induced by CTLA4Ig," <i>Science</i> 257:789-792 (1992)
BV.	Ley <i>et al.</i> , "Interleukin 2-dependent activation of tumor-specific cytotoxic T lymphocytes <i>in vivo</i> ," <i>Eur. J. Immunol.</i> 21:851-854 (1991)
BW.	Linsley <i>et al.</i> , "T-cell antigen CD28 mediates adhesion with B cells by interacting with activation antigen B7/BB-1," <i>Proc. Natl. Acad. Sci. USA</i> 87:5031-5035 (1990)
BX.	Linsley <i>et al.</i> , Binding of the B cell activation antigen B7 to CD28 costimulates T cell proliferation and interleukin 2 mRNA accumulation," <i>J. Exp. Med.</i> 173:721-730 (1991)
BY.	Liu <i>et al.</i> , "Heat-stable antigen is a costimulatory molecule for CD4 T cell growth," <i>J. Exp. Med.</i> 175:437-445 (1992)
BZ.	McKisic <i>et al.</i> , "Cytolytic activity of murine CD4 <sup>+</sup> T cell clones correlates with IFN-γ production in mouse strains having a BALB/c background," <i>J. Immunol.</i> 150:3793-3805 (1993)
CA.	Melief, C. J. M., "Tumor eradication of adoptive transfer of cytotoxic T lymphocytes," <i>Adv. Cancer Res.</i> 58:143-175 (1992)
CB.	Mueller <i>et al.</i> , "Clonal expansion versus functional clonal inactivation: a costimulatory signalling pathway determines the outcome of T cell antigen receptor occupancy," <i>Ann. Rev. Immunol.</i> 7:445-480 (1989)
CC.	Nabel <i>et al.</i> , "Site-specific gene expression <i>in vivo</i> by direct gene transfer into the arterial wall," <i>Science</i> 249:1285-1288 (1990)
CD.	Nossal, G. J. V., "Immunologic tolerance: collaboration between antigen and lymphokines," <i>Science</i> 245:147-153 (1989)
CE.	Ostrand-Rosenberg <i>et al.</i> , "Rejection of mouse sarcoma cells after transfection of MHC class II genes," <i>J. Immunol.</i> 144:4068-4071 (1990)
CF.	Ozdemirli <i>et al.</i> , "The cytotoxic process of CD4 Th1 clones," <i>J. Immunol.</i> 149:1889-1895 (1992)
CG.	Parra <i>et al.</i> , "The role of B7-1 and LFA-3 in costimulation of CD8 <sup>+</sup> T cells," <i>J. Immunol.</i> 158:637-642 (1997)
CH.	Reiser <i>et al.</i> , "Murine B7 antigen provides an efficient costimulatory signal for activation of murine T lymphocytes via the T-cell receptor/CD3 complex," <i>Proc. Natl. Acad. Sci. USA</i> 89:271-275 (1992)
CI.	Rock <i>et al.</i> , "Analysis of the association of peptides of optimal length to class I molecules on the surface of cells," <i>Proc. Natl. Acad. Sci. USA</i> 89:8918-8922 (1992)
CJ.	Rosenberg <i>et al.</i> , "A new approach to the adoptive immunotherapy of cancer with tumor-infiltrating lymphocytes," <i>Science</i> 233:1318-1321 (1986)
CK.	Rosenberg <i>et al.</i> , "Cancer immunotherapy using interleukin-2 and interleukin-2-activated lymphocytes," <i>Ann. Rev. Immunol.</i> 4:681-709 (1986)
CL.	Rötzscheck <i>et al.</i> , "Isolation and analysis of naturally processed viral peptides as recognized by cytotoxic T cells," <i>Nature</i> 348:252-254 (1990)
CM.	Rudensky <i>et al.</i> , "Sequence analysis of peptides bound to MHC class II molecules," <i>Nature</i> 353:622-627 (1991)
CN.	Salomon <i>et al.</i> , "Cutting edge: LFA-1 interaction with ICAM-1 and ICAM-2 regulates Th2 cytokine production," <i>J. Immunol.</i> 161:5138-5142 (1998)
CO.	Schreiber <i>et al.</i> , "Unique tumor-specific antigens," <i>Ann. Rev. Immunol.</i> 6:465-483 (1988)
CP.	Schulz <i>et al.</i> , "Peptide-induced antiviral protection by cytotoxic T cells," <i>Proc. Natl. Acad. Sci. USA</i> 88:991-993 (1991)
CQ.	Schwartz, "Acquisition of immunologic self-tolerance," <i>Cell</i> 57:1073-1081 (1989)
CR.	Selvakumar <i>et al.</i> , "Genomic organization and chromosomal location of the human gene encoding the B-lymphocyte activation antigen B7," <i>Immunogenetics</i> 36:175-181 (1992)
CS.	Staunton <i>et al.</i> , "Primary structure of ICAM-1 demonstrates interaction between members of the immunoglobulin and integrin supergene families," <i>Cell</i> 52:925-933 (1988)
CT.	Swallow <i>et al.</i> , "B7h, a novel costimulatory homolog of B7.1 and B7.2, is induced by TNFα," <i>Immunity</i> 11:423-432 (1999)

*John Dineen*  
1/20/04

**LIST OF PATENTS AND PUBLICATIONS FOR  
APPLICANT'S INFORMATION DISCLOSURE  
STATEMENT (Use several sheets if necessary)**

Applicant: Samir Khleif et al.

Filing Date: March 14, 2001

Group: 1644

**EXAMINER**

**DATE CONSIDERED**

1 | 20 | 04

**EXAMINER:** Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.